INDEX TO AUTHORS

ALLEN, RAE. See SULKIN, ALLEN, SIMS, KRUTZSCH, and KIM, 595

ARNDT, WILLIAM F., and SCHNEIDER, HOWARD A. The extension of the Shwartzman phenomenon to the mouse and some ecological determinants of the single-injection reaction, 167

ATKINS, N. See WIZNITZER, BETTER, RACHLIN, ATKINS, FRANK, and FINE, 1157

—. See WIZNITZER, SCHWEINBURG, ATKINS, and FINE, 1167

BARNETT, JACK A. See SANFORD, BARNETT, and GOTT, 97

BARON, L. S., SPILMAN, WALTER M., and CAREY, WARREN F. Diploid heterozygous hybrids from matings between *Escherichia coli* and *Salmonella typhosa*, 361

BAUER, HEINZ. See SHELDON and BAUER, 1069

BENACERRAF, BARUJ. See JENKIN and BENACERRAF, 403

BENDITT, EARL P. See LAGUNOFF and BENDITT, 571

—. See PRIEST, KOPLITZ, and BENDITT, 225

BENENSON, A. S. See EDSALL, GAINES, LANDY, TIGERTT, SPRINZ, TRAPANI, MANDEL, and BENENSON, 143

BERENSON, GERALD S., and DALFERES, EDWARD R., JR. Metabolism of acid mucopolysaccharides in the Shwartzman phenomenon, 713

BETTER, N. See WIZNITZER, BETTER, RACHLIN, ATKINS, FRANK, and FINE, 1157

BOYER, GEORGIANNA S., DENNY, FLOYD W., JR., MILLER, IRVING, and GINSBERG, HAROLD S. Correlation of production of infectious virus with sequential stages of cytologic alteration in HeLa cells infected with adenoviruses types 5 and 7, 865

BREITENFELD, PETER M. See GODMAN, MORGAN, BREITENFELD, and ROSE, 383

—. See MORGAN, GODMAN, BREITENFELD, and ROSE, 373

BROOME, JOHN D., and OPIE, EUGENE L. The movement of electrolytes and of water in surviving tissue of the liver, 491

CALKINS, EVAN. See COHEN and CALKINS, 479

CAREY, WARREN F. See BARON, SPILMAN, and CAREY, 361

CHOPPIN, PURNELL W., MURPHY, JAMES S., and TAMM, IGOR. Studies of two kinds of virus particles which comprise influenza A2 virus strains. III. Morphological characteristics: independence of morphological and functional traits, 945

— and TAMM, IGOR. Studies of two kinds of virus particles which comprise influenza A2 virus strains. I. Characterization of stable homogeneous substrains in reactions with specific antibody, mucoprotein inhibitors, and erythrocytes, 895

— and —. II. Reactivity with virus inhibitors in normal sera, 921

—. See PHILIPSON and CHOPPIN, 455

COHEN, ALAN S., and CALKINS, EVAN. A study of the fine structure of the kidney in casein-induced amyloidosis in rabbits, 479

COHN, ZANVIL A., and HIRSCH, JAMES G. The influence of phagocytosis on the intracellular distribution of granule-associated components of polymorphonuclear leucocytes, 1015

— and —. The isolation and properties of the specific cytoplasmic granules of rabbit polymorphonuclear leucocytes, 983

—. See HIRSCH and COHN, 1005

COLE, ROGER M. See KANTOR and COLE, 77

CREMER, NATALIE, and WATSON, DENNIS W. Host-parasite factors in Group A streptococcal infections. A comparative study of streptococcal pyrogenic toxins and Gram-negative bacterial endotoxin, 1037

CROMARTIE, WILLIAM J. See ROBERSON, SCHWAB, and CROMARTIE, 751

DAHL, L. K. Effects of chronic excess salt feeding. Elevation of plasma cholesterol in rats and dogs, 635

DALFERES, EDWARD R., JR. See BERENSON and DALFERES, 713

DAVENPORT, FRED M., ROTT, RUDOLF, and SCHÄFER, WERNER. Physical and biological properties of influenza virus components obtained after ether treatment, 765

DENNY, FLOYD W., JR. See BOYER, DENNY, MILLER, and GINSBERG, 865

DJORDJEVIC, B., and SZYBALSKI, WACLAW. Genetics of human cell lines. III. Incorporation of 5-bromo- and 5-iododeoxyuridine into the deoxyribonucleic acid of human cells and its effect on radiation sensitivity, 509

EDELMAN, G. M., HEREMANS, J. F., HEREMANS, M.-TH., and KUNKEL, HENRY G. Immunological studies of human γ-globulin. Relation of the precipitin lines of whole γ-globulin to those of the fragments produced by papain, 203

EDSALL, GEOFFREY, GAINES, SIDNEY, LANDY, MAURICE, TIGERTT, WILLIAM D., SPRINZ, HELMUTH, TRAPANI, R.-J., MANDEL, ADRIAN D., and BENENSON, A. S. Studies on infection and immunity in experimental typhoid fever. I. Typhoid fever in chimpanzees orally infected with *Salmonella typhosa*, 143

EISEN, HERMAN N. See DE WECK and EISEN, 1227

—. See FARAH, KERN, and EISEN, 1195, 1211

EITZMAN, DONALD V. See GARVEY, EITZMAN, and SMITH, 533

EKSTEDT, RICHARD D., and STOLLERMAN, GENE H. Factors affecting the chain length of Group A streptococci. I. Demonstration of a metabolically active chain-splitting system, 671

—and —. II. Quantitative M–anti-M relationships in the long chain test, 687

FARAH, FUAD S., KERN, MILTON, and EISEN, HERMAN N. The preparation and some properties of purified antibody specific for the 2,4-dinitrophenyl group, 1195

—, —, and —. Specific inhibition of wheal-and-erythema responses with univalent haptens and univalent antibody fragments, 1211

FINE, J. See RAVIN, ROWLEY, JENKINS, and FINE, 783

FINE, J. See RUTENBURG, SCHWEINBURG, and FINE, 801
—. See SCHWEINBURG and FINE, 793
—. See WIZNITZER, BETTER, RACHLIN, ATKINS, FRANK, and FINE, 1157
—. See WIZNITZER, SCHWEINBURG, ATKINS, and FINE, 1167
FINKELSTEIN, RICHARD A., and RANSOM, JOHN P. Non-specific resistance to experimental cholera in embryonated eggs, 315
FOX, MAURICE S. See MATSUSHITA, FOX, and GOEBEL, 1055
FRANK, E. D. See WIZNITZER, BETTER, RACHLIN, ATKINS, FRANK, and FINE, 1157
FREEDMAN, HENRY H. Further studies on passive transfer of tolerance to pyrogenicity of bacterial endotoxin. The febrile and leucopenic responses, 619
FREEMAN, ELIZABETH B. See KELLNER, HIRSCH, and FREEMAN, 1
FUDENBERG, HUGH. See OVARY, FUDENBERG, and KUNKEL, 953

GAINES, SIDNEY, TULLY, JOSEPH G., and TIGERTT, WILLIAM D. Studies on infection and immunity in experimental typhoid fever. II. Susceptibility of recovered animals to re-exposure, 1023
—. See EDSALL, GAINES, LANDY, TIGERTT, SPRINZ, TRAPANI, MANDEL, and BENENSON, 143
GARVEY, JUSTINE S., EITZMAN, DONALD V., and SMITH, RICHARD T. The distribution of sulfur-35–labeled bovine serum albumin in newborn and immunologically tolerant adult rabbits, 533
GINSBERG, HAROLD S. See BOYER, DENNY, MILLER, and GINSBERG, 865
GODMAN, GABRIEL C., MORGAN, COUNCILMAN, BREITENFELD, PETER M., and ROSE, HARRY M. A correlative study by electron and light microscopy of the development of type 5 adenovirus. II. Light microscopy, 383
—. See MORGAN, GODMAN, BREITENFELD, and ROSE, 373
GOEBEL, WALTHER F. See MATSUSHITA, FOX, and GOEBEL, 1055
GOTT, CORA. See SANFORD, BARNETT, and GOTT, 97
GREISMAN, SHELDON E. On the collapse of bacterial endotoxin resistance following hemorrhage, 257
GUSTAFSSON, BENGT E., and LANKE, LISA SWENANDER. Bilirubin and urobilins in germfree, ex-germfree, and conventional rats, 975

HAWKINS, W. B. See WOODS, HAWKINS, and WHIPPLE, 431
HAYASHI, HIDEO, TOKUDA, AKIRA, and UDAKA, KEIJI. Biochemical study of cellular antigen-antibody reaction in tissue culture. I. Activation and release of a protease, 237
—. See TOKUDA, HAYASHI, and MATSUBA, 249
HEREMANS, J. F. See EDELMAN, HEREMANS, HEREMANS, and KUNKEL, 203
HEREMANS, M.-TH. See EDELMAN, HEREMANS, HEREMANS, and KUNKEL, 203
HIRSCH, JAMES G. Comparative bactericidal activities of blood serum and plasma serum, 15
— and COHN, ZANVIL A. Degranulation of polymorphonuclear leucocytes following phagocytosis of microorganisms, 1005
—. See COHN and HIRSCH, 983, 1015
HIRSCH, ROBERT L., KELLNER, AARON, and IRELAND, ROSEMARY. Changes in blood coagulation during the clearing of lipid emulsions by lipoprotein lipase, 699

HIRSCH, ROBERT L. See KELLNER, HIRSCH, and FREEMAN, 1
HOLLAND, JOHN J., HOYER, BILL H., MCLAREN, LEROY C., and SYVERTON, JEROME T. Enteroviral ribonucleic acid. I. Recovery from virus and assimilation by cells, 821
—, MCLAREN, LEROY C., HOYER, BILL H., and SYVERTON, JEROME T. Enteroviral ribonucleic acid. II. Biological, physical, and chemical studies, 841
—. See MCLAREN, HOLLAND, and SYVERTON, 581
HOYER, BILL H. See HOLLAND, HOYER, MCLAREN, and SYVERTON, 821
—. See HOLLAND, MCLAREN, HOYER, and SYVERTON, 841
HUGGINS, CHARLES, and OKAMOTO, RYOHEI. Disturbed reproductive function following section of the portal vein, 883

IRELAND, ROSEMARY. See HIRSCH, KELLNER, and IRELAND, 699

JANOFF, AARON, and ZWEIFACH, BENJAMIN W. Inactivation of bacterial exotoxins and endotoxin by iron, 23
JENKIN, CHARLES, and BENACERRAF, BARUJ. *In vitro* studies on the interaction between mouse peritoneal macrophages and strains of *Salmonella* and *Escherichia coli*, 403
— and PALMER, D. L. Changes in the titer of serum opsonins and phagocytic properties of mouse peritoneal macrophages following injection of endotoxin, 419
JENKINS, C. See RAVIN, ROWLEY, JENKINS, and FINE, 783

KANTOR, FRED S., and COLE, ROGER M. Preparation and antigenicity of M protein released from Group A, Type 1 streptococcal cell walls by phage-associated lysin, 77
KATO, IWAO, and PAPPENHEIMER, A. M., JR. An early effect of diphtheria toxin on the metabolism of mammalian cells growing in culture, 329
KELLNER, AARON, HIRSCH, ROBERT L., and FREEMAN, ELIZABETH B. Inhibition of lipoprotein lipase activity following injection of pituitary extracts into rabbits, 1
—. See HIRSCH, KELLNER, and IRELAND, 699
KERN, MILTON. See FARAH, KERN, and EISEN, 1195, 1211
KIM, CHANSOO. See SULKIN, ALLEN, SIMS, KRUTZSCH, and KIM, 595
KING, M. K. Pathogenesis of fever: effects of various endogenous pyrogens upon the level of circulating granulocytes in normal rabbits, 809
KOPLITZ, R. MARLENE. See PRIEST, KOPLITZ, and BENDITT, 225
KRUTZSCH, PHILIP H. See SULKIN, ALLEN, SIMS, KRUTZSCH, and KIM, 595
KUNKEL, HENRY G. See EDELMAN, HEREMANS, HEREMANS, and KUNKEL, 203
—. See OVARY, FUDENBERG, and KUNKEL, 953

LAGUNOFF, DAVID, and BENDITT, EARL P. Mast cell degranulation and histamine release observed in a new *in vitro* system, 571
LANDY, MAURICE. See EDSALL, GAINES, LANDY, TIGERTT, SPRINZ, TRAPANI, MANDEL, and BENENSON, 143
LANGER, B. See STEINER, LANGER, SCHATZ, and VOLPE, 187
LANKE, LISA SWENANDER. See GUSTAFSSON and LANKE, 975
LEPOW, IRWIN H., and ROSS, ANN. Studies on immune cellular injury. II. Functional role of C'1 esterase in immune cytotoxicity, 1107
—. See ROSS and LEPOW, 1085
LEVINE, BERNARD B. Studies on the

mechanism of the formation of the penicillin antigen. I. Delayed allergic cross-reactions among penicillin G and its degradation products, 1131

LUSE, SARAH A., and MCDOUGAL, DAVID B., JR. Electron microscopic observations on allergic encephalomyelitis in the rabbit, 735

MACKANESS, G. B. The phagocytosis and inactivation of staphylococci by macrophages of normal rabbits, 35

MANDEL, ADRIAN D. See EDSALL, GAINES, LANDY, TIGERTT, SPRINZ, TRAPANI, MANDEL, and BENENSON, 143

MATSUBA, KINISHIRO. See TOKUDA, HAYASHI, and MATSUBA, 249

MATSUSHITA, HIROSHI, FOX, MAURICE S., and GOEBEL, WALTHER F. Colicine K. IV. The effect of metabolites upon colicine synthesis, 1055

MCCLUSKEY, R. T. See POTTER, MCCLUSKEY, WEISSMANN, and THOMAS, 1173

MCDOUGAL, DAVID B., JR. See LUSE and MCDOUGAL, 735

MCELLIGOTT, T. F., and POTTER, J. L. Increased fixation of sulfur-35 by cartilage *in vitro* following depletion of the matrix by intravenous papain, 743

MCLAREN, LEROY C., HOLLAND, JOHN J., and SYVERTON, JEROME T. The mammalian cell-virus relationship. V. Susceptibility and resistance of cells *in vitro* to infection by Coxsackie A9 virus, 581

—. See HOLLAND, HOYER, MCLAREN, and SYVERTON, 821

—. See HOLLAND, MCLAREN, HOYER, and SYVERTON, 841

MELLORS, ROBERT C., and MUNROE, J. SPENCER. Cellular localization of Rous sarcoma virus as studied with fluorescent antibody, 963

MELLY, MARIAN ANN, THOMISON, JOHN B., and ROGERS, DAVID E. Fate of staphylococci within human leucocytes, 1121

MILLER, IRVING. See BOYER, DENNY, MILLER, and GINSBERG, 865

MORGAN, COUNCILMAN, GODMAN, GABRIEL C., BREITENFELD, PETER M., and ROSE, HARRY M. A correlative study by electron and light microscopy of the development of type 5 adenovirus. I. Electron microscopy, 373

—. See GODMAN, MORGAN, BREITENFELD, and ROSE, 383

MUNROE, J. SPENCER. See MELLORS and MUNROE, 963

MURPHY, JAMES S. See CHOPPIN, MURPHY, and TAMM, 945

OKAMOTO, RYOHEI. See HUGGINS and OKAMOTO, 883

OPIE, EUGENE L. See BROOME and OPIE, 491

OUDIN, JACQUES. Allotypy of rabbit serum proteins. I. Immunochemical analysis leading to the individualization of seven main allotypes, 107

—. II. Relationships between various allotypes: their common antigenic specificity, their distribution in a sample population; genetic implication, 125

OVARY, ZOLTAN, FUDENBERG, HUGH, and KUNKEL, HENRY G. Anaphylactic reactions in the skin of the guinea pig with high and low molecular weight antibodies and γ-globulins, 953

PALMER, D. L. See JENKIN and PALMER, 419

PAPPENHEIMER, A. M., JR. See KATO and PAPPENHEIMER, 329

PARKER, STEPHEN J. See SNELL, WINN, STIMPFLING, and PARKER, 293

PHILIPSON, LENNART, and CHOPPIN, PURNELL W. On the role of virus sulfhydryl groups in the attach-

ment of enteroviruses to erythrocytes, 455
POTTER, J. L., MCCLUSKEY, R. T., WEISSMANN, G., and THOMAS, L. The removal of cartilage matrix by papain. Factors affecting the distribution of crystalline papain *in vivo*, 1173
—. See MCELLIGOTT and POTTER, 743
PRIEST, ROBERT E., KOPLITZ, R. MARLENE, and BENDITT, EARL P. Estradiol reduces incorporation of radioactive sulfate into cartilage and aortas of rats, 225

RACHLIN, W. See WIZNITZER, BETTER, RACHLIN, ATKINS, FRANK, and FINE, 1157
RANSOM, JOHN P. See FINKELSTEIN and RANSOM, 315
RAPPAPORT, BEN Z. Antigen-antibody reactions in allergic human tissues. I. Preparation and use of fluorescein-conjugated reagins for staining the reaction sites, 55
—. II. Study by fluorescence technique of the localization of reagins in human skin and their relation to globulins, 725
RAVIN, H. A., ROWLEY, D., JENKINS, C., and FINE, J. On the absorption of bacterial endotoxin from the gastrointestinal tract of the normal and shocked animal, 783
RICHTER, GOETZ W. The nature of storage iron in idiopathic hemochromatosis and in hemosiderosis. Electron optical, chemical, and serologic studies on isolated hemosiderin granules, 551
ROBERSON, BOB S., SCHWAB, JOHN H., and CROMARTIE, WILLIAM J. Relation of particle size of C polysaccharide complexes of Group A streptococci to toxic effects on connective tissue, 751
ROGERS, DAVID E. See MELLY, THOMISON, and ROGERS, 1121
ROSE, HARRY M. See GODMAN, MORGAN, BREITENFELD, and ROSE, 383
ROSE, HARRY M. See MORGAN, GODMAN, BREITENFELD, and ROSE, 373
ROSS, ANN, and LEPOW, IRWIN H. Studies on immune cellular injury. I. Cytotoxic effects of antibody and complement, 1085
—. See LEPOW and ROSS, 1107
ROTT, RUDOLF. See DAVENPORT, ROTT, and SCHÄFER, 765
ROWLEY, D. See RAVIN, ROWLEY, JENKINS, and FINE, 783
RUTENBURG, S. H., SCHWEINBURG, F. B., and FINE, J. *In vitro* detoxification of bacterial endotoxin by macrophages, 801

SANFORD, JAY P., BARNETT, JACK A., and GOTT, CORA. A mechanism of the glycogenolytic action of bacterial endotoxin, 97
SCHÄFER, WERNER. See DAVENPORT, ROTT, and SCHÄFER, 765
SCHARFF, MATTHEW. See UHR and SCHARFF, 65
SCHATZ, D. L. See STEINER, LANGER, SCHATZ, and VOLPE, 187
SCHNEIDER, HOWARD A. See ARNDT, and SCHNEIDER, 167
SCHWAB, JOHN H. See ROBERSON, SCHWAB, and CROMARTIE, 751
SCHWEINBURG, F. B., and FINE, J. Evidence for a lethal endotoxemia as the fundamental feature of irreversibility in three types of traumatic shock, 793
—. See RUTENBURG, SCHWEINBURG, and FINE, 801
—. See WIZNITZER, SCHWEINBURG, ATKINS, and FINE, 1167
SHELDON, WALTER H., and BAUER, HEINZ. Tissue mast cells and acute inflammation in experimental cutaneous mucormycosis of normal, 48/80-treated, and diabetic rats, 1069
SHEPARD, CHARLES C. The experimental disease that follows the in-

jection of human leprosy bacilli into foot-pads of mice, 445
SIMS, RUTH. See SULKIN, ALLEN, SIMS, KRUTZSCH, and KIM, 595
SMITH, RICHARD T. See GARVEY, EITZMAN, and SMITH, 533
SNELL, GEORGE D., WINN, HENRY J., STIMPFLING, JACK H., and PARKER, STEPHEN J. Depression by antibody of the immune response to homografts and its role in immunological enhancement, 293
SPILMAN, WALTER M. See BARON, SPILMAN, and CAREY, 361
SPRINZ, HELMUTH. See EDSALL, GAINES, LANDY, TIGERTT, SPRINZ, TRAPANI, MANDEL, and BENENSON, 143
STEINER, JAN W., LANGER, B., SCHATZ, D. L., and VOLPE, R. Experimental immunologic adrenal injury. A response to injections of autologous and homologous adrenal antigens in adjuvant, 187
STETSON, CHANDLER A., JR. See STRAUSS and STETSON, 653
STIMPFLING, JACK H. See SNELL, WINN, STIMPFLING, and PARKER, 293
STOLLERMAN, GENE H. See EKSTEDT and STOLLERMAN, 671, 687
STRAUSS, BELLA S., and STETSON, CHANDLER A., JR. Studies on the effect of certain macromolecular substances on the respiratory activity of the leucocytes of peripheral blood, 653
STRAUSS, NORMAN. The effect of diphtheria toxin on the metabolism of HeLa cells. II. Effect on nucleic acid metabolism, 351
SULKIN, S. EDWARD, ALLEN, RAE, SIMS, RUTH, KRUTZSCH, PHILIP H., and KIM, CHANSOO. Studies on the pathogenesis of rabies in insectivorous bats. II. Influence of environmental temperature, 595
SYVERTON, JEROME T. See HOLLAND, HOYER, MCLAREN, and SYVERTON, 821
SYVERTON, JEROME T. See HOLLAND, MCLAREN, HOYER, and SYVERTON, 841
—. See MCLAREN, HOLLAND, and SYVERTON, 581
SZYBALSKI, WACLAW. See DJORDJEVIC and SZYBALSKI, 509

TAMM, IGOR. See CHOPPIN, MURPHY, and TAMM, 945
—. See CHOPPIN and TAMM, 895, 921
THOMAS, L. See POTTER, MCCLUSKEY, WEISSMANN, and THOMAS, 1173
THOMISON, JOHN B. See MELLY, THOMISON, and ROGERS, 1121
THORBECKE, G. J. γ-globulin and antibody formation *in vitro*. I. γ-globulin formation in tissues from immature and normal adult rabbits, 279
TIGERTT, WILLIAM D. See EDSALL, GAINES, LANDY, TIGERTT, SPRINZ, TRAPANI, MANDEL, and BENENSON, 143
—. See GAINES, TULLY, and TIGERTT, 1023
TOKUDA, AKIRA, HAYASHI, HIDEO, and MATSUBA, KINISHIRO. Biochemical study of cellular antigen-antibody reaction in tissue culture. II. Release of a protease inhibitor, 249
—. See HAYASHI, TOKUDA, and UDAKA, 237
TRAPANI, R.-J. See EDSALL, GAINES, LANDY, TIGERTT, SPRINZ, TRAPANI, MANDEL, and BENENSON, 143
TULLY, JOSEPH G. See GAINES, TULLY, and TIGERTT, 1023

UDAKA, KEIJI. See HAYASHI, TOKUDA, and UDAKA, 237
UHR, JONATHAN W., and SCHARFF, MATTHEW. Delayed hypersensitivity. V. The effect of x-irradiation on the development of delayed hypersensitivity and antibody formation, 65

VOLPE, R. See STEINER, LANGER, SCHATZ, and VOLPE, 187

WATSON, DENNIS W. See CREMER and WATSON, 1037

DE WECK, ALAIN L., and EISEN, HERMAN N. Some immunochemical properties of penicillenic acid; an antigenic determinant derived from penicillin, 1227

WEISSMANN, G. See POTTER, MCCLUSKEY, WEISSMANN, and THOMAS, 1173

WHIPPLE, G. H. See WOODS, HAWKINS, and WHIPPLE, 431

WINN, HENRY J. See SNELL, WINN, STIMPFLING, and PARKER, 293

WIZNITZER, T., BETTER, N., RACHLIN, W., ATKINS, N., FRANK, E. D., and FINE, J. *In vivo* detoxification of endotoxin by the reticuloendothelial system, 1157

WIZNITZER, T. SCHWEINBURG, F. B., ATKINS, N., and FINE, J. On the relation of the size of the intraintestinal pool of endotoxin to the development of irreversibility in hemorrhagic shock, 1167

WOODS, W. D., HAWKINS, W. B., and WHIPPLE, G. H. Vitamin $B_{12}CO^{60}$ readily passes the placenta into fetal organs and nursing provides B_{12} from mother to pup. A record of its distribution, 431

ZWEIFACH, BENJAMIN W. See JANOFF and ZWEIFACH, 23

INDEX TO SUBJECTS

ABSORPTION of bacterial endotoxin from gastrointestinal tract of normal and shocked animal, 783

Acid, deoxyribonucleic, of human cells, incorporation of 5-bromo- and 5-iododeoxyuridine into, effect on radiation sensitivity, 509

— mucopolysaccharides in Shwartzman phenomenon, metabolism, 713

—, nucleic, and HeLa cells, effect of diphtheria toxin on metabolism of, 351

—, penicillenic, immunochemical properties of, antigenic determinant derived from penicillin, 1227

—, ribonucleic, enteroviral, biological, physical, and chemical studies, 841

—, ribonucleic, enteroviral, recovery from virus and assimilation by cells, 821

Adenovirus, type 5, correlative study by electron and light microscopy of development of, 373, 383

Adenoviruses, sequential stages of cytologic alteration in HeLa cells infected with, and production of infectious virus, 865

Adrenal injury, immunologic, response to injections of autologous and homologous adrenal antigens in adjuvant, 187

Albumin, bovine serum, labeled with sulfur-35, in newborn and immunologically tolerant adult rabbits, 533

Allergic cross-reactions, delayed, among penicillin G and degradation products, formation of penicillin antigen, 1131

allergic encephalomyelitis, electron microscopic observations, 735

— human tissues, antigen-antibody reactions, fluorescein-conjugated reagins for staining, 55

— human tissues, antigen-antibody reactions in, 725

Amyloidosis, casein-induced, fine structure of kidney in, 479

Anaphylactic reactions in skin, with high and low molecular weight antibodies and γ-globulins, 953

Antibodies, high and low molecular weight, and γ-globulins, anaphylactic reactions in skin with, 953

Antibody and complement, immune cellular injury, 1085

—, depression of immune response to homografts and its role in immunological enhancement, 293

—, fluorescent, cellular localization of Rous sarcoma virus studied with, 963

— formation and delayed hypersensitivity, effect of x-irradiation on, 65

— fragments, univalent, and univalent haptens, specific inhibition of wheal-and-erythema responses, 1211

— and γ-globulin formation in tissues from immature and normal adult rabbits, 279

—, purified, specific for 2,4-dinitrophenyl group, preparation and properties, 1195

—, specific, mucoprotein inhibitors, and erythrocytes, stable homo-

geneous substrains of influenza virus in reactions with, 895
Antibody-antigen reaction, cellular, in tissue culture, biochemical study, activation and release of protease, 237
— reaction, cellular, in tissue culture, biochemical study, release of protease inhibitor, 249
— reactions in allergic human tissues, 725
— reactions in allergic human tissues, fluorescein-conjugated reagins for staining, 55
Antigen, penicillin, formation, delayed allergic cross-reactions among penicillin G and degradation products, 1131
Antigen-antibody reaction, cellular, in tissue culture, biochemical study, activation and release of protease, 237
— reaction, cellular, in tissue culture, biochemical study, release of protease inhibitor, 249
— reactions in allergic human tissues, 725
— reactions in allergic human tissues, fluorescein-conjugated reagins for staining, 55
Antigenic determinant derived from penicillin, immunochemical properties of penicillenic acid, 1227
— specificity, distribution, and genetic implications in allotypy of serum proteins, 125
Antigenicity of M protein released from streptococcal cell walls by phage-associated lysin, 77
Antigens in adjuvant, autologous and homologous, response to injections, 187
Aortas and cartilage, effect of estradiol on incorporation of radioactive sulfate into, 225
Autologous and homologous adrenal antigens in adjuvant, response to injections, 187

BACILLI, human leprosy, injection into foot-pads of mice, disease following, 445
Bacterial endotoxin, absorption from gastrointestinal tract of normal and shocked animal, 783
— endotoxin, detoxification by macrophages, *in vitro*, 801
— endotoxin, glycogenolytic action of, 97
— endotoxin, Gram-negative, and streptococcal pyrogenic toxins, host-parasite factors in streptococcal infections, 1037
— endotoxin, passive transfer of tolerance to pyrogenicity of, febrile and leucopenic responses, 619
— endotoxin resistance, collapse following hemorrhage, 257
— exotoxins and endotoxin, inactivation by iron, *in vitro* studies, 23
Bactericidal activities of blood and plasma serum, 15
Bacteriophage-associated lysin, preparation and antigenicity of M protein released from streptococcal cell walls by, 77
Bats, insectivorous, pathogenesis of rabies in, environmental temperature, 595
Bilirubin and urobilins in germfree, ex-germfree, and conventional rats, 975
Biochemical study of cellular antigen-antibody reaction in tissue culture, activation and release of protease, 237
— study of cellular antigen-antibody reaction in tissue culture, release of protease inhibitor, 249
Biological, physical, and chemical studies, enteroviral ribonucleic acid, 841
— and physical properties of influenza virus components obtained after ether treatment, 765
Blood coagulation changes during clearing of lipid emulsions by lipoprotein lipase, 699
—, peripheral, leucocytes of, effect of certain macromolecular substances on respiratory activity of, 653

Blood, and plasma serum, bactericidal activities, 15
Bovine serum albumin, labeled with sulfur-35, in newborn and immunologically tolerant adult rabbits, 533
Bromodeoxyuridine, 5-, and 5-iododeoxyuridine, incorporation into deoxyribonucleic acid of human cells and effect on radiation sensitivity, 509

CARTILAGE and aortas, effect of estradiol on incorporation of radioactive sulfate into, 225
— *in vitro*, fixation of sulfur-35 by, following depletion of matrix by intravenous papain, 743
— matrix, removal by papain, factors affecting distribution of crystalline papain *in vivo*, 1173
Casein-induced amyloidosis, fine structure of kidney in, 479
Cell degranulation, mast, and histamine release observed *in vitro*, 571
—, human, genetics, incorporation of 5-bromo- and 5-iododeoxyuridine into deoxyribonucleic acid of, and effect on radiation sensitivity, 509
—, intracellular distribution of granule-associated components of polymorphonuclear leucocytes, influence of phagocytosis, 1015
— walls, streptococcal, preparation and antigenicity of M protein released from, by phage-associated lysin, 77
Cells, HeLa, infected with adenoviruses, sequential stages of cytologic alteration, and production of infectious virus, 865
—, HeLa, and nucleic acid, effect of diphtheria toxin on metabolism of, 351
—, mammalian, growing in culture, effect of diphtheria toxin on metabolism of, 329
—, recovery of enteroviral ribonucleic acid from virus and assimilation by, 821
Cells, tissue mast, and inflammation in cutaneous mucormycosis of normal, 48/80-treated, and diabetic rats, 1069
Cellular antigen-antibody reaction in tissue culture, biochemical study, activation and release of protease, 237
— antigen-antibody reaction in tissue culture, biochemical study, release of protease inhibitor, 249
— injury, immune, cytotoxic effects of antibody and complement, 1085
— injury, immune, role of C'1 esterase in immune cytotoxicity, 1107
— localization of Rous sarcoma virus, studied with fluorescent antibody, 963
Cell-virus relationship, mammalian, susceptibility and resistance *in vitro* to infection by Coxsackie virus, 581
Chain length of streptococci, metabolically active chain-splitting system, 671
— length of streptococci, quantitative M–anti-M relationships in long chain test, 687
Chemical, biological, and physical studies, enteroviral ribonucleic acid, 841
—, serologic, and electron optical studies on isolated hemosiderin granules in storage iron in idiopathic hemochromatosis and hemosiderosis, 551
Chemistry, immuno-, analysis of serum proteins leading to individualization of seven allotypes, 107
—, immuno-, properties of penicillenic acid, antigenic determinant derived from penicillin, 1227
Cholera in embryonated eggs, nonspecific resistance to, 315
Cholesterol, plasma, elevation in chronic excess salt feeding, 635
Circulating granulocytes, effects of

endogenous pyrogens upon level of, 809
Coagulation changes, blood, during clearing of lipid emulsions by lipoprotein lipase, 699
Colicine K, effect of metabolites upon synthesis, 1055
Complement and antibody, immune cellular injury, 1085
Coxsackie virus, susceptibility and resistance of cells *in vitro* to infection by, 581
Crystalline papain *in vivo*, factors affecting distribution, removal of cartilage matrix by papain, 1173
Culture, effect of diphtheria toxin on metabolism of mammalian cells growing in, 329
—, tissue, biochemical study of cellular antigen-antibody reaction in, activation and release of protease, 237
—, tissue, biochemical study of cellular antigen-antibody reaction in, release of protease inhibitor, 249
Cutaneous mucormycosis of normal, 48/80-treated, and diabetic rats, tissue mast cells and acute inflammation in, 1069
Cytologic alteration in HeLa cells infected with adenoviruses, sequential stages, and production of infectious virus, 865
Cytoplasmic granules of polymorphonuclear leucocytes, specific, isolation and properties, 983
Cytotoxic effects of antibody and complement, immune cellular injury, 1085
Cytotoxicity, immune, role of C′1 esterase in, immune cellular injury, 1107

DEOXYRIBONUCLEIC acid of human cells, incorporation of 5-bromo- and 5-iododeoxyuridine into, and effect on radiation sensitivity, 509
Deoxyuridine, 5-bromo- and 5-iodo-, incorporation into deoxyribonucleic acid of human cells and effect on radiation sensitivity, 509
Detoxification, *in vivo*, of endotoxin by reticuloendothelial system, 1157
— of bacterial endotoxin by macrophages, *in vitro*, 801
Diabetic, normal, 48/80-treated, rats, tissue mast cells and acute inflammation in cutaneous mucormycosis of, 1069
Dinitrophenyl, 2,4-, group, preparation and properties of purified antibody specific for, 1195
Diphtheria toxin, effect on metabolism of HeLa cells and on nucleic acid metabolism, 351
— toxin, effect on metabolism of mammalian cells growing in culture, 329
Disease following injection of human leprosy bacilli into foot-pads of mice, 445

ECOLOGICAL determinants of single-injection reaction in Shwartzman phenomenon in mouse, 167
Eggs, embryonated, non-specific resistance to cholera in, 315
Electrolytes and water, movement in surviving tissue of liver, 491
Electron and light microscopy, correlative study of development of type 5 adenovirus, 373, 383
— microscopic observations on allergic encephalomyelitis, 735
— optical, chemical, and serologic studies on isolated hemosiderin granules in storage iron in idiopathic hemochromatosis and in hemosiderosis, 551
Embryonated eggs, non-specific resistance to cholera in, 315
Emulsions, lipid, clearing by lipoprotein lipase, changes in blood coagulation during, 699

Encephalomyelitis, allergic, electron microscopic observations, 735
Endogenous pyrogens, effects upon level of circulating granulocytes, 809
Endotoxemia, lethal, and irreversibility in traumatic shock, 793
Endotoxin, bacterial, absorption from gastrointestinal tract of normal and shocked animal, 783
—, bacterial, glycogenolytic action of, 97
—, bacterial, *in vitro* detoxification by macrophages, 801
—, bacterial, passive transfer of tolerance to pyrogenicity of, febrile and leucopenic responses, 619
— and exotoxins, bacterial, inactivation by iron, *in vitro* studies, 23
—, Gram-negative bacterial, and streptococcal pyrogenic toxins, host-parasite factors in streptococcal infections, 1037
—, *in vivo* detoxification, by reticuloendothelial system, 1157
—, injection of, changes in titer of serum opsonins and phagocytic properties of peritoneal macrophages following, 419
—, intraintestinal pool of, relation of size to development of irreversibility in hemorrhagic shock, 1167
— resistance, bacterial, collapse following hemorrhage, 257
Enteroviral ribonucleic acid, biological, physical, and chemical studies, 841
— ribonucleic acid, recovery from virus and assimilation by cells, 821
Enteroviruses, attachment to erythrocytes, role of virus sulfhydryl groups in, 455
Erythema-and-wheal responses, specific inhibition with univalent haptens and univalent antibody fragments, 1211
Erythrocytes, specific antibody, and mucoprotein inhibitors, stable homogeneous substrains of influenza virus in reactions with, 895
—, virus sulfhydryl in attachment of enteroviruses to, 455
Escherichia coli and *Salmonella*, interaction between peritoneal macrophages and strains of, *in vitro* studies, 403
— *coli* and *Salmonella typhosa*, diploid heterozygous hybrids from matings between, 361
Esterase, C′1, in immune cytotoxicity, immune cellular injury, 1107
Estradiol and reduction of incorporation of radioactive sulfate into cartilage and aortas, 225
Ether treatment, physical and biological properties of influenza virus components obtained after ether treatment, 765
Exotoxins and endotoxin, bacterial, inactivation by iron, *in vitro* studies, 23
Extracts, pituitary, inhibition of lipoprotein lipase activity following injection of, 1

FEBRILE and leucopenic responses, passive transfer of tolerance to pyrogenicity of bacterial endotoxin, 619
Fetal organs, vitamin $B_{12}Co^{60}$ passing placenta into, nursing providing B_{12} from mother to pup, 431
Fever, pathogenesis, effects of endogenous pyrogens upon level of circulating granulocytes, 809
—, typhoid, infection and immunity, oral infection with *Salmonella typhosa*, 143
—, typhoid, infection and immunity, susceptibility to re-exposure, 1023
Fixation of sulfur-35 by cartilage *in vitro* following depletion of matrix by intravenous papain, 743

Fluorescein-conjugated reagins for staining antigen-antibody reactions in allergic human tissues, 55
Fluorescence technique used to study localization of reagins in human skin and relation to globulins, 725
Fluorescent antibody, cellular localization of Rous sarcoma virus studied with, 963

GASTROINTESTINAL tract of normal and shocked animal, absorption of bacterial endotoxin from, 783
Genetic implications in allotype of serum proteins, antigenic specificity and distribution, 125
Genetics of human cell, incorporation of 5-bromo- and 5-iododeoxyuridine into deoxyribonucleic acid of, effect on radiation sensitivity, 509
Germfree, ex-germfree, and conventional rats, bilirubin and urobilin in, 975
Globulin, γ-, and antibody formation in tissues from immature and normal adult rabbits, 279
—, γ-, whole human, precipitin lines, relation to those of fragments produced by papain, 203
Globulins, γ-, and high and low molecular weight, anaphylactic reaction in skin of guinea pig with, 953
—, study by fluorescence technique of localization of reagins in human skin and relation to, 725
Glycogenolytic action of bacterial endotoxin, 97
Gram-negative bacterial endotoxin and streptococcal pyrogenic toxins, host-parasite factors in streptococcal infections, 1037
Granule-associated components of polymorphonuclear leucocytes, influence of phagocytosis on intracellular distribution of, 1015
Granules, hemosiderin, isolated, electron optical, chemical, and serologic studies on, storage iron in idiopathic hemochromatosis and in hemosiderosis, 551
Granules, specific cytoplasmic, of polymorphonuclear leucocytes, isolation and properties, 983
Granulocytes, circulating, effects of endogenous pyrogens upon level of, 809

HAPTENS, univalent, and univalent antibody fragments, specific inhibition of wheal-and-erythema responses with, 1211
HeLa cells infected with adenoviruses, sequential stages of cytologic alteration in, and production of infectious virus, 865
— cells and nucleic acid, effect of diphtheria toxin on metabolism of, 351
Hemochromatosis, idiopathic, and hemosiderosis, storage iron in 551
Hemorrhage, collapse of bacterial endotoxin resistance following, 257
Hemorrhagic shock, relation of size of intraintestinal pool of endotoxin to development of irreversibility in, 1167
Hemosiderin granules, isolated, electron optical, chemical, and serologic studies on, storage iron in idiopathic hemochromatosis and in hemosiderosis, 551
Hemosiderosis and idiopathic hemochromatosis, storage iron in, 551
Histamine release and mast cell degranulation observed *in vitro*, 571
Homogeneous substrains of influenza virus, stable, in reactions with specific antibody, mucoprotein inhibitors, and erythrocytes, 895
Homografts, depression by antibody of immune response to, and role in immunological enhancement, 293
Homologous and autologous adrenal

antigens in adjuvant, response to injections, 187
Host-parasite factors in streptococcal infections, pyrogenic toxins and Gram-negative bacterial endotoxin, 1037
Hybrids, diploid heterozygous, from matings between *Escherichia coli* and *Salmonella typhosa*, 361
Hypersensitivity, delayed, and antibody formation, effect of x-irradiation on, 65

IDIOPATHIC hemochromatosis and hemosiderosis, storage iron in, 551
Immune cellular injury, cytotoxic effects of antibody and complement, 1085
— cellular injury, role of C'1 esterase and immune cytotoxicity, 1107
— response to homografts, depression by antibody, and role in immunological enhancement, 293
Immunity and infection in typhoid fever, oral infection with *Salmonella typhosa*, 143
— and infection in typhoid fever, susceptibility to re-exposure, 1023
Immunochemical analysis of serum proteins leading to individualization of seven allotypes, 107
— properties of penicillenic acid, antigenic determinant derived from penicillin, 1227
Immunologic adrenal injury, response to injections of autologous and homologous adrenal antigens in adjuvant, 187
Immunological enhancement, depression by antibody of immune response to homografts and role in, 293
— studies of relation of precipitin lines of whole human γ-globulin to those of fragments produced by papain, 203
Immunologically tolerant adult and newborn rabbits, sulfur-35–labeled bovine serum albumin in, 533
Infection by Coxsackie virus, susceptibility and resistance of cells *in vitro* to, 581
— and immunity in typhoid fever, oral infection with *Salmonella typhosa*, 143
— and immunity in typhoid fever, susceptibility to re-exposure, 1023
Infections, streptococcal, host-parasite factors, pyrogenic toxins and Gram-negative bacterial endotoxin, 1037
Infectious virus, production of, and sequential stages of cytologic alteration in HeLa cells infected with adenoviruses, 865
Inflammation, acute, in cutaneous mucormycosis of normal, 48/80-treated, and diabetic rats, tissue mast cells, 1069
Influenza virus components obtained after ether treatment, physical and biological properties, 765
— virus strains, virus particles comprising, 895, 921, 945
Inhibition of lipoprotein lipase activity following injection of pituitary extracts, 1
—, specific, of wheal-and-erythema responses with univalent haptens and univalent antibody fragments, 1211
Inhibitors, mucoprotein, specific antibody, and erythrocytes, stable homogeneous substrains of influenza reactions with, 895
—, virus, in normal sera, reactivity, in studies of virus particles comprising influenza virus strains, 921
Injection, intravenous papain, depletion of matrix by, fixation of sulfur-35 by cartilage *in vitro*, 743
— of endotoxin, changes in titer of serum opsonins and phagocytic properties of peritoneal macrophages following, 419
— of human leprosy bacilli into

foot-pads of mice, disease following, 445
Injection of pituitary extracts, inhibition of lipoprotein lipase activity following, 1
—, single, reaction in Shwartzman phenomenon in mouse, ecological determinants, 167
Injections of autologous and homologous adrenal antigens in adjuvant, response to, 187
Injury, immune cellular, cytotoxic effects of antibody and complement, 1085
—, immune cellular, role of C'1 esterase in immune cytotoxicity, 1107
—, immunologic adrenal, response to injections of autologous and homologous adrenal antigens in adjuvant, 187
Insectivorous bats, pathogenesis of rabies in, environmental temperature, 595
Intestine, intraintestinal pool of endotoxin, relation of size to development of irreversibility in hemorrhagic shock, 1167
Iododeoxyuridine, 5-bromo-, and 5-iododeoxyuridine, incorporation into deoxyribonucleic acid of human cells and effect on radiation sensitivity, 509
Iron, inactivation of bacterial exotoxins and endotoxin by, *in vitro* studies, 23
—, storage, in idiopathic hemochromatosis and in hemosiderosis, 551
Irradiation, effect on delayed hypersensitivity and antibody formation, 65

KIDNEY, fine structure in casein-induced amyloidosis, 479

LEPROSY bacilli, human, injection into foot-pads of mice, disease following, 445
Lethal endotoxemia and irreversibility in traumatic shock, 793
Leucocytes, human, fate of staphylococci within, 1121
— of peripheral blood, effect of certain macromolecular substances on respiratory activity of, 653
—, polymorphonuclear, degranulation following phagocytosis of microorganisms, 1005
—, polymorphonuclear, influence of phagocytosis on intracellular distribution of granule-associated components of, 1015
—, polymorphonuclear, specific cytoplasmic granules, isolation and properties, 983
Leucopenic and febrile responses, passive transfer of tolerance to pyrogenicity of bacterial endotoxin, 619
Light and electron microscopy, correlative study of development of type 5 adenovirus, 373, 383
Lipase activity, lipoprotein, inhibition following injection of pituitary extracts, 1
—, lipoprotein, changes in blood coagulation during clearing of lipid emulsions by, 699
Lipid emulsions, clearing by lipoprotein lipase, changes in blood coagulation during, 699
Lipoprotein lipase activity, inhibition following injection of pituitary extracts, 1
Lipoprotein lipase, changes in blood coagulation during clearing of lipid emulsions by, 699
Liver, surviving tissue of, movement of electrolytes and of water in, 491
Lysin, phage-associated, preparation and antigenicity of M protein released from cell walls by, 77

MACROMOLECULAR substances, effect on respiratory activity of leucocytes of peripheral blood, 653
Macrophages, *in vitro* detoxification of bacterial endotoxin by, 801
—, peritoneal, phagocytic properties,

and changes in titer of serum opsonins, following injection of endotoxin, 419
Macrophages, peritoneal, and strains of *Salmonella* and *Escherichia coli*, interaction between, *in vitro* studies, 403
—, phagocytosis and inactivation of staphylococci by, 35
Mammalian cells growing in culture, effect of diphtheria toxin on metabolism of, 329
— cell-virus relationship, susceptibility and resistance *in vitro* to infection by Coxsackie virus, 581
Man cell, genetics, incorporation of 5-bromo- and 5-iododeoxyuridine into deoxyribonucleic acid of, and effect on radiation sensitivity, 509
— γ-globulin, whole, relation of precipitin lines to those of fragments produced by papain, 203
—, human leprosy bacilli injected into foot-pads of mice, disease following, 445
— leucocytes, staphylococci within, fate, 1121
— skin, study by fluorescence technique of localization of reagins in, and relation to globulins, 725
— tissues, allergic, antigen-antibody reactions in, 725
— tissues, allergic, antigen-antibody reactions in, fluorescein-conjugated reagins for staining, 55
Mast cell degranulation and histamine release observed *in vitro*, 571
— cells, tissue, and inflammation in cutaneous mucormycosis of normal, 48/80-treated, and diabetic rats, 1069
Metabolically active chain-splitting system, chain length of streptococci, 671
Metabolism of acid mucopolysaccharides in Shwartzman phenomenon, 713
— of HeLa cells and of nucleic acid, effect of diphtheria toxin on, 351
Metabolism of mammalian cells growing in culture, effect of diphtheria toxin on, 329
Metabolites, effect upon colicine K synthesis, 1055
Microorganisms, degranulation of polymorphonuclear leucocytes following phagocytosis of, 1005
Microscopic observations, electron, on allergic encephalomyelitis, 735
Microscopy, electron and light, correlative study of development of type 5 adenovirus, 373, 383
Molecular weight antibodies, high and low, and γ-globulins, anaphylactic reactions in skin with, 953
Morphological characteristics and independence of morphological and functional traits, studies of virus particles comprising influenza virus strains, 945
Mouth infection with *Salmonella typhosa*, infection and immunity in typhoid fever, 143
Mucopolysaccharides, acid, metabolism in Shwartzman phenomenon, 713
Mucoprotein inhibitors, specific antibody, and erythrocytes, stable homogeneous substrains of influenza virus in reactions with, 895
Mucormycosis, cutaneous, of normal, 48/80-treated, and diabetic rats, tissue mast cells and acute inflammation in, 1069

NEWBORN and immunologically tolerant adult rabbits, sulfur-35–labeled bovine serum albumin in, 533
Nucleic acid, deoxyribo-, of human cells, incorporation of 5-bromo- and 5-iododeoxyuridine into, effect on radiation sensitivity, 509
— acid and HeLa cells, effect of diphtheria toxin on metabolism of, 351

Nucleic acid, ribo-, enteroviral, biological, physical, and chemical studies, 841
— acid, ribo-, enteroviral, recovery from virus and assimilation by cells, 821
Nursing providing B_{12} from mother to pup, vitamin $B_{12}Co^{60}$ readily passing placenta into fetal organs, 431

OPSONINS, serum, changes in titer, and phagocytic properties of peritoneal macrophages following injection of endotoxin, 419
Optical, electron, chemical, and serologic studies on isolated hemosiderin granules in storage iron in idiopathic hemochromatosis and in hemosiderosis, 551

PAPAIN, intravenous, depletion of matrix by, fixation of sulfur-35 by cartilage *in vitro* following, 743
—, relation of precipitin lines of whole human γ-globulin to fragments produced by, 203
—, removal of cartilage matrix by, factors affecting distribution of crystalline papain *in vivo*, 1173
Parasite-host factors in streptococcal infections, pyrogenic toxins and Gram-negative bacterial endotoxin, 1037
Pathogenesis of fever, effects of endogenous pyrogens upon level of circulating granulocytes, 809
— of rabies in insectivorous bats, environmental temperature, 595
Penicillenic acid, immunochemical properties, antigenic determinant derived from penicillin, 1227
Penicillin antigen, formation, delayed allergic cross-reactions among penicillin G and degradation products, 1131
Peritoneal macrophages, phagocytic properties, and changes in titer of serum opsonins, following injection of endotoxin, 419
— macrophages and strains of *Salmonella* and *Escherichia coli*, interaction between, *in vitro* studies, 403
Phage. *See* Bacteriophage.
Phagocytic properties of peritoneal macrophages and changes in titer of serum opsonins, following injection of endotoxin, 419
Phagocytosis and inactivation of staphylococci by macrophages, 35
—, influence on intracellular distribution of granule-associated components of polymorphonuclear leucocytes, 1015
— of microorganisms, degranulation of polymorphonuclear leucocytes following, 1005
Phenyl, 2,4-dinitro-, group, preparation and properties of purified antibody specific for, 1195
Physical, biological, and chemical studies, enteroviral ribonucleic acid, 841
— and biological properties of influenza virus components obtained after ether treatment, 765
Pituitary extracts, inhibition of lipoprotein lipase activity following injection of, 1
Placenta, vitamin $B_{12}Co^{60}$ passing into fetal organs and nursing providing B_{12} from mother to pup, 431
Plasma and blood serum, bactericidal activities, 15
— cholesterol, elevation in chronic excess salt feeding, 635
Polymorphonuclear leucocytes, degranulation following phagocytosis of microorganisms, 1005
— leucocytes, influence of phagocytosis on intracellular distribution of granule-associated components of, 1015
— leucocytes, isolation and properties of specific cytoplasmic granules, 983
Polysaccharide complexes of streptococci, relation of particle size to toxic effects on connective tissue, 751

Polysaccharides, muco-, acid, metabolism in Shwartzman phenomenon, 713
Portal vein, disturbed reproductive function following section of, 883
Precipitin lines of whole human γ-globulin, relation to those of fragments produced by papain, 203
Protease, activation and release of, biochemical study of cellular antigen-antibody reaction in tissue culture, 237
— inhibitor, release, biochemical study of cellular antigen-antibody reaction in tissue culture, 249
Protein, M, preparation and antigenicity, released from streptococcal cell walls by phage-associated lysin, 77
—, quantitative M–anti-M relationships in long chain test, factors affecting chain length of Group A streptococci, 687
Proteins, serum, immunochemical analysis leading to individualization of seven allotypes, 107
—, serum, relationships between allotypes, antigenic specificity, distribution, and genetic implications, 125
Pyrogenic toxins, streptococcal, and Gram-negative bacterial endotoxins, host-parasite factors in streptococcal infections, 1037
Pyrogenicity of bacterial endotoxin, passive transfer of tolerance to, febrile and leucopenic responses, 619
Pyrogens, endogenous, effects upon level of circulating granulocytes, 809

RABIES in insectivorous bats, pathogenesis, environmental temperature, 595
Radiation sensitivity, incorporation of 5-bromo- and 5-iododeoxyuridine into deoxyribonucleic acid of human cells, effect on, 509
Radioactive sulfate, effect of estradiol on reduction of incorporation into cartilage and aortas, 225
— sulfur, fixation by cartilage *in vitro* following depletion of matrix by intravenous papain, 743
— sulfur-labeled bovine serum albumin in newborn and immunologically tolerant adult rabbits, 533
Reaction in tissue culture, cellular antigen-antibody, biochemical study, activation and release of protease, 237
— in tissue culture, cellular antigen-antibody, biochemical study, release of protease inhibitor, 249
—, single-injection, Shwartzman phenomenon in mouse and ecological determinants, 167
Reactions, anaphylactic, in skin, with high and low molecular weight antibodies and γ-globulins, 953
—, antigen-antibody, in allergic human tissues, 725
—, antigen-antibody, in allergic human tissues, fluorescein-conjugated reagins for staining, 55
—, cross-, delayed allergic, among penicillin G and degradation products, formation of penicillin antigen, 1131
— with specific antibody, mucoprotein inhibitors, and erythrocytes, stable homogeneous substrains of influenza virus in, 895
Reagins, fluorescein-conjugated, for staining antigen-antibody reaction sites in allergic human tissues, 55
— in human skin and relation to globulins, fluorescence technique used to study localization, 725
Reproductive function disturbed, following section of portal vein, 883
Resistance and susceptibility of cells *in vitro* to infection by Coxsackie virus, 581

Respiratory activity of leucocytes of peripheral blood, effect of macromolecular substances on, 653
Reticuloendothelial system, *in vivo* detoxification of endotoxin by, 1157
Ribonucleic acid, deoxy-, of human cells, incorporation of 5-bromo- and 5-iododeoxyuridine into, effect on radiation sensitivity, 509
— acid, enteroviral, biological, physical, and chemical studies, 841
— acid, enteroviral, recovery from virus and assimilation by cells, 821
Rous sarcoma virus, cellular localization, studied with fluorescent antibody, 963

SALMONELLA and *Escherichia coli*, interaction between peritoneal macrophages and strains of, *in vitro* studies, 403
— *typhosa* and *Escherichia coli*, diploid heterozygous hybrids from matings between, 361
— *typhosa*, oral infection with, in studies on infection and immunity in typhoid fever, 143
Salt feeding, chronic excess, elevation of plasma cholesterol, 635
Sarcoma virus, Rous, cellular localization, studied with fluorescent antibody, 963
Sensitivity, radiation, incorporation of 5-bromo- and 5-iododeoxyuridine into deoxyribonucleic acid of human cells, effect on, 509
Sera, normal, reactivity with virus inhibitors in studies of virus particles comprising influenza virus strains, 921
Serologic, chemical, and electron optical studies on isolated hemosiderin granules in storage iron in idiopathic hemochromatosis and hemosiderosis, 551
Serum albumin, bovine, labeled with sulfur-35, in newborn and immunologically tolerant adult rabbits, 533
Serum, blood and plasma, bactericidal activities, 15
— opsonins, changes in titer, and phagocytic properties of peritoneal macrophages following injection of endotoxin, 419
— proteins, immunochemical analysis leading to individualization of seven allotypes, 107
— proteins, relationships between allotypes, antigenic specificity, distribution, and genetic implications, 125
Shock, hemorrhagic, relation of size of intraintestinal pool of endotoxin to development of irreversibility in, 1167
—, traumatic, lethal endotoxemia and irreversibility in, 793
Shocked and normal animal, absorption of bacterial endotoxin from gastrointestinal tract, 783
Shwartzman phenomenon in mouse, and ecological determinants of single-injection reaction, 167
— phenomenon, metabolism of acid mucopolysaccharides in, 713
Skin, anaphylactic reactions in, with high and low molecular weight antibodies and γ-globulins, 953
—, human, study by fluorescence technique of localization of reagins in, and relation to globulins, 725
Specific antibody, mucoprotein inhibitors, and erythrocytes, stable homogeneous substrains of influenza virus in reactions with, 895
—, non-, resistance to cholera in embryonated eggs, 315
— purified antibody for 2,4-dinitrophenyl group, preparation and properties, 1211
Specificity, antigenic, distribution, and genetic implications in allotype of serum proteins, 125
Staining antigen-antibody reaction

sites in allergic human tissues, fluorescein-conjugated reagins for, 55
Staphylococci, phagocytosis and inactivation by macrophages, 35
— within human leucocytes, fate, 1121
Streptococcal cell walls, preparation and antigenicity of M protein released from, by phage-associated lysin, 77
— infections, host-parasite factors, pyrogenic toxins and Gram-negative bacterial endotoxin, 1037
Streptococci, chain length, metabolically active chain-splitting system, 671
—, chain length, quantitative M–anti-M relationships in long chain test, 687
—, polysaccharide complexes, relation of particle size to toxic effects on connective tissue, 751
Sulfate, radioactive, effect of estradiol on reduction of incorporation into cartilage and aortas, 225
Sulfhydryl, virus, in attachment of enteroviruses to erythrocytes, 455
Sulfur-35, bovine serum albumin labeled with, in newborn and immunologically tolerant adult rabbits, 533
—, fixation by cartilage *in vitro* following depletion of matrix by intravenous papain, 743
Susceptibility and resistance of cells *in vitro* to infection by Coxsackie virus, 581
— to re-exposure to typhoid fever, infection and immunity, 1023

TEMPERATURE, environmental, and pathogenesis of rabies in insectivorous bats, 595
Tissue, connective, relation of particle size of polysaccharide complexes of streptococci to toxic effects on, 751
— culture, biochemical study of cellular antigen-antibody reaction in, activation and release of protease, 237
Tissue culture, biochemical study of cellular antigen-antibody reaction in, release of protease inhibitor, 249
— mast cells and inflammation in cutaneous mucormycosis of normal, 48/80-treated, and diabetic rats, 1069
— of liver, surviving, movement of electrolytes and of water in, 491
Tissues, allergic human, antigen-antibody reactions, fluorescein-conjugated reagins for staining, 55
— from immature and normal adult rabbits, γ-globulin and antibody formation in, 279
—, human, allergic, antigen-antibody reactions in, 725
Toxic effects on connective tissue, relation of particle size of polysaccharide complexes of streptococci to, 751
Toxin, diphtheria, effect on metabolism of HeLa cells and on nucleic acid metabolism, 351
—, diphtheria, effect on metabolism of mammalian cells growing in culture, 329
Toxins, streptococcal pyrogenic, and Gram-negative bacterial endotoxins, host-parasite factors in streptococcal infections, 1037
Transfer, passive, of tolerance to pyrogenicity of bacterial endotoxin, febrile and leucopenic responses, 619
Traumatic shock, lethal endotoxemia and irreversibility in traumatic shock, 793
Typhoid fever, immunity and infection, susceptibility to re-exposure, 1023
— fever, infection and immunity, oral infection with *Salmonella typhosa*, 143

URIDINE, 5-bromo- and 5-iodo-deoxy-, incorporation into deoxyribonucleic acid of human cells and effect on radiation sensitivity, 509
Urobilins and bilirubin in germfree, ex-germfree, and conventional rats, 975

VEIN, portal, disturbed reproductive function following section of, 883
Virus, adeno-, type 5, correlative study by electron and light microscopy of development of, 373, 383
—, Coxsackie, susceptibility and resistance of cells *in vitro* to, 581
—, entero-, ribonucleic acid, biological, physical, and chemical studies, 841
—, entero-, ribonucleic acid, recovery from virus and assimilation by cells, 821
—, infectious, production of, and sequential stages of cytologic alteration in HeLa cells infected with adenoviruses, 865
—, influenza, components obtained after ether treatment, physical and biological properties of, 765
— inhibitors in normal sera, reactivity in studies of virus particles comprising influenza virus strains, 921
Virus, recovery of enteroviral ribonucleic acid from, and assimilation by cells, 821
—, Rous sarcoma, cellular localization, studied with fluorescent antibody, 963
— strains, influenza, virus particles comprising, 895, 921, 945
— sulfhydryl in attachment of enteroviruses to erythrocytes, 455
Virus-cell relationship, mammalian, susceptibility and resistance *in vitro* to infection by Coxsackie virus, 581
Viruses, adeno-, sequential stages of cytologic alteration in HeLa cells infected with, and production of infectious virus, 865
—, entero-, attachment to erythrocytes, role of virus sulfhydryl in, 455
Vitamin $B_{12}Co^{60}$ passing placenta into fetal organs and nursing providing B_{12} from mother to pup, 431

WALLS, cell, streptococcal, preparation and antigenicity of M protein released from, by phage-associated lysin, 77
Water and electrolytes, movement in surviving tissue of liver, 491
Wheal-and-erythema responses, specific inhibition with univalent haptens and univalent antibody fragments, 1211

CONTENTS

No. 1, July 1, 1960

PAGE

Kellner, Aaron, Hirsch, Robert L., and Freeman, Elizabeth B. Inhibition of lipoprotein lipase activity following injection of pituitary extracts into rabbits 1

Hirsch, James G. Comparative bactericidal activities of blood serum and plasma serum 15

Janoff, Aaron, and Zweifach, Benjamin W. Inactivation of bacterial exotoxins and endotoxin by iron. *In vitro* studies 23

Mackaness, G. B. The phagocytosis and inactivation of staphylococci by macrophages of normal rabbits 35

Rappaport, Ben Z. Antigen-antibody reactions in allergic human tissues. I. Preparation and use of fluorescein-conjugated reagins for staining the reaction sites. Plates 1 and 2 55

Uhr, Jonathan W., and Scharff, Matthew. Delayed hypersensitivity. V. The effect of x-irradiation on the development of delayed hypersensitivity and antibody formation. Plates 3 to 5 65

Kantor, Fred S., and Cole, Roger M. Preparation and antigenicity of M protein released from Group A, Type 1 streptococcal cell walls by phage-associated lysin 77

Sanford, Jay P., Barnett, Jack A., and Gott, Cora. A mechanism of the glycogenolytic action of bacterial endotoxin 97

Oudin, Jacques. Allotypy of rabbit serum proteins. I. Immunochemical analysis leading to the individualization of seven main allotypes 107

Oudin, Jacques. Allotypy of rabbit serum proteins. II. Relationships between various allotypes: their common antigenic specificity, their distribution in a sample population; genetic implication 125

Edsall, Geoffrey, Gaines, Sidney, Landy, Maurice, Tigertt, W. D., Sprinz, Helmuth, Trapani, R.-J., Mandel, Adrian D., and Benenson, A. S. Studies on infection and immunity in experimental typhoid fever. I. Typhoid fever in chimpanzees orally infected with *Salmonella typhosa*. Plates 6 and 7 143

Arndt, William F., and Schneider, Howard A. The extension of the Shwartzman phenomenon to the mouse and some ecological determinants of the single-injection reaction. Plates 8 and 9 167

Steiner, Jan W., Langer, B., Schatz, D. L., and Volpe R. Experimental immunologic adrenal injury. A response to injections of

PAGE

autologous and homologous adrenal antigens in adjuvant. Plates 10 to 12 187

EDELMAN, G. M., HEREMANS, J. F., HEREMANS, M.-TH., and KUNKEL, HENRY G. Immunological studies of human γ-globulin. Relation of the precipitin lines of whole γ-globulin to those of the fragments produced by papain 203

PRIEST, ROBERT E., KOPLITZ, R. MARLENE, and BENDITT, EARL P. Estradiol reduces incorporation of radioactive sulfate into cartilage and aortas of rats 225

No. 2, AUGUST 1, 1960

HAYASHI, HIDEO, TOKUDA, AKIRA, and UDAKA, KEIJI. Biochemical study of cellular antigen-antibody reaction in tissue culture. I. Activation and release of a protease 237

TOKUDA, AKIRA, HAYASHI, HIDEO, and MATSUBA, KINISHIRO. Biochemical study of cellular antigen-antibody reaction in tissue culture. II. Release of a protease inhibitor 249

GREISMAN, SHELDON E. On the collapse of bacterial endotoxin resistance following hemorrhage 257

THORBECKE, G. J. γ-Globulin and antibody formation *in vitro*. I. γ-Globulin formation in tissues from immature and normal adult rabbits. Plates 13 and 14 279

SNELL, GEORGE D., WINN, HENRY J., STIMPFLING, JACK H., and PARKER, STEPHEN J. Depression by antibody of the immune response to homografts and its role in immunological enhancement 293

FINKELSTEIN, RICHARD A., and RANSOM, JOHN P. Non-specific resistance to experimental cholera in embryonated eggs 315

KATO, IWAO, and PAPPENHEIMER, A. M., JR. An early effect of diphtheria toxin on the metabolism of mammalian cells growing in culture 329

STRAUSS, NORMAN. The effect of diphtheria toxin on the metabolism of HeLa cells. II. Effect on nucleic acid metabolism 351

BARON, L. S., SPILMAN, WALTER M., and CAREY, WARREN F. Diploid heterozygous hybrids from matings between *Escherichia coli* and *Salmonella typhosa*. Plate 15 361

MORGAN, COUNCILMAN, GODMAN, GABRIEL C., BREITENFELD, PETER M., and ROSE, HARRY M. A correlative study by electron and light microscopy of the development of type 5 adenovirus. I. Electron microscopy. Plates 16 to 32 373

GODMAN, GABRIEL C., MORGAN, COUNCILMAN, BREITENFELD, PETER M., and ROSE, HARRY M. A correlative study by electron and light microscopy of the development of type 5 adenovirus. II. Light microscopy. Plates 33 to 37 383

JENKIN, CHARLES, and BENACERRAF, BARUJ. *In vitro* studies on the inter-

PAGE

action between mouse peritoneal macrophages and strains of *Salmonella* and *Escherichia coli* 403

JENKIN, CHARLES, and PALMER, D. L. Changes in the titre of serum opsonins and phagocytic properties of mouse peritoneal macrophages following injection of endotoxin 419

No. 3, SEPTEMBER 1, 1960

WOODS, W. D., HAWKINS, W. B., and WHIPPLE, G. H. Vitamin $B_{12}Co^{60}$ readily passes the placenta into fetal organs and nursing provides B_{12} from mother to pup. A record of its distribution 431

SHEPARD, CHARLES C. The experimental disease that follows the injection of human leprosy bacilli into foot-pads of mice. Plates 38 and 39 445

PHILIPSON, LENNART, and CHOPPIN, PURNELL W. On the role of virus sulfhydryl groups in the attachment of enteroviruses to erythrocytes. 455

COHEN, ALAN S., and CALKINS, EVAN. A study of the fine structure of the kidney in casein-induced amyloidosis in rabbits. Plates 40 to 46. 479

BROOME, JOHN D., and OPIE, EUGENE L. The movement of electrolytes and of water in surviving tissue of the liver 491

DJORDJEVIC, B., and SZYBALSKI, WACLAW. Genetics of human cell lines. III. Incorporation of 5-bromo- and 5-iododeoxyuridine into the deoxyribonucleic acid of human cells and its effect on radiation sensitivity 509

GARVEY, JUSTINE S., EITZMAN, DONALD V., and SMITH, RICHARD T. The distribution of sulfur-35–labeled bovine serum albumin in newborn and immunologically tolerant adult rabbits 533

No. 4, OCTOBER, 1960

RICHTER, GOETZ W. The nature of storage iron in idiopathic hemochromatosis and in hemosiderosis. Electron optical, chemical, and serologic studies on isolated hemosiderin granules. Plates 47 to 51.. 551

LAGUNOFF, DAVID, and BENDITT, EARL P. Mast cell degranulation and histamine release observed in a new *in vitro* system. Plate 52 571

MCLAREN, LEROY C., HOLLAND, JOHN J., and SYVERTON, JEROME T. The mammalian cell-virus relationship. V. Susceptibility and resistance of cells *in vitro* to infection by Coxsackie A9 virus 581

SULKIN, S. EDWARD, ALLEN, RAE, SIMS, RUTH, KRUTZSCH, PHILIP H., and KIM, CHANSOO. Studies on the pathogenesis of rabies in insectivorous bats. II. Influence of environmental temperature 595

FREEDMAN, HENRY H. Further studies on passive transfer of tolerance to pyrogenicity of bacterial endotoxin. The febrile and leucopenic responses 619

PAGE

DAHL, L. K. Effects of chronic excess salt feeding. Elevation of plasma cholesterol in rats and dogs 635

STRAUSS, BELLA S., and STETSON, CHANDLER A., JR. Studies on the effect of certain macromolecular substances on the respiratory activity of the leucocytes of peripheral blood 653

EKSTEDT, RICHARD D., and STOLLERMAN, GENE H. Factors affecting the chain length of Group A streptococci. I. Demonstration of a metabolically active chain-splitting system 671

EKSTEDT, RICHARD D., and STOLLERMAN, GENE H. Factors affecting the chain length of Group A streptococci. II. Quantitative M–anti-M relationships in the long chain test 687

HIRSCH, ROBERT L., KELLNER, AARON, and IRELAND, ROSEMARY. Changes in blood coagulation during the clearing of lipid emulsions by lipoprotein lipase 699

BERENSON, GERALD S., and DALFERES, EDWARD R., JR. Metabolism of acid mucopolysaccharides in the Shwartzman phenomenon. Plate 53 713

NO. 5, NOVEMBER 1, 1960

RAPPAPORT, BEN Z. Antigen-antibody reactions in allergic human tissues. II. Study by fluorescence technique of the localization of reagins in human skin and their relation to globulins. Plates 54 to 59 725

LUSE, SARAH A., and MCDOUGAL, DAVID B., JR. Electron microscopic observations on allergic encephalomyelitis in the rabbit. Plates 60 to 70 735

MCELLIGOTT, T. F., and POTTER, J. L. Increased fixation of sulfur-35 by cartilage *in vitro* following depletion of the matrix by intravenous papain. Plate 71 743

ROBERSON, BOB S., SCHWAB, JOHN H., and CROMARTIE, WILLIAM J. Relation of particle size of C polysaccharide complexes of Group A streptococci to toxic effects on connective tissue 751

DAVENPORT, FRED M., ROTT, RUDOLF, and SCHÄFER, WERNER. Physical and biological properties of influenza virus components obtained after ether treatment. Plate 72 765

RAVIN, H. A., ROWLEY, D., JENKINS, C., and FINE, J. On the absorption of bacterial endotoxin from the gastrointestinal tract of the normal and shocked animal 783

SCHWEINBURG, F. B., and FINE, J. Evidence for a lethal endotoxemia as the fundamental feature of irreversibility in three types of traumatic shock 793

RUTENBURG, S. H., SCHWEINBURG, F. B., and FINE, J. *In vitro* detoxification of bacterial endotoxin by macrophages 801

PAGE

KING, M. K. Pathogenesis of fever: effects of various endogenous pyrogens upon the level of circulating granulocytes in normal rabbits..... 809

HOLLAND, JOHN J., HOYER, BILL H., MCLAREN, LEROY C., and SYVERTON, JEROME T. Enteroviral ribonucleic acid. I. Recovery from virus and assimilation by cells..... 821

HOLLAND, JOHN J., MCLAREN, LEROY C., HOYER, BILL H., and SYVERTON, JEROME T. Enteroviral ribonucleic acid. II. Biological, physical, and chemical studies..... 841

BOYER, GEORGIANNA S., DENNY, FLOYD W., JR., MILLER, IRVING, and GINSBERG, HAROLD S. Correlation of production of infectious virus with sequential stages of cytologic alteration in HeLa cells infected with adenoviruses types 5 and 7..... 865

HUGGINS, CHARLES, and OKAMOTO, RYOHEI. Disturbed reproductive function following section of the portal vein. Plates 73 and 74..... 883

CHOPPIN, PURNELL W., and TAMM, IGOR. Studies of two kinds of virus particles which comprise influenza A2 virus strains. I. Characterization of stable homogeneous substrains in reactions with specific antibody, mucoprotein inhibitors, and erythrocytes..... 895

CHOPPIN, PURNELL W., and TAMM, IGOR. Studies of two kinds of virus particles which comprise influenza A2 virus strains. II. Reactivity with virus inhibitors in normal sera..... 921

CHOPPIN, PURNELL W., MURPHY, JAMES S., and TAMM, IGOR. Studies of two kinds of virus particles which comprise influenza A2 virus strains. III. Morphological characteristics: independence of morphological and functional traits. Plates 75 to 80..... 945

OVARY, ZOLTAN, FUDENBERG, HUGH, and KUNKEL, HENRY G. Anaphylactic reactions in the skin of the guinea pig with high and low molecular weight antibodies and γ-globulin..... 953

MELLORS, ROBERT C., and MUNROE, J. SPENCER. Cellular localization of Rous sarcoma virus as studied with fluorescent antibody. Plates 81 to 84..... 963

No. 6, DECEMBER 1, 1960

GUSTAFSSON, BENGT E., and LANKE, LISA SWENANDER. Bilirubin and urobilins in germfree, ex-germfree, and conventional rats..... 975

COHN, ZANVIL A., and HIRSCH, JAMES G. The isolation and properties of the specific cytoplasmic granules of rabbit polymorphonuclear leucocytes. Plate 85..... 983

HIRSCH, JAMES G., and COHN, ZANVIL A. Degranulation of polymorphonuclear leucocytes following phagocytosis of microorganisms. Plate 86..... 1005

COHN, ZANVIL A., and HIRSCH, JAMES G. The influence of phagocytosis

PAGE

on the intracellular distribution of granule-associated components of polymorphonuclear leucocytes 1015

GAINES, SIDNEY, TULLY, JOSEPH G., and TIGERTT, WILLIAM D. Studies on infection and immunity in experimental typhoid fever. II. Susceptibility of recovered animals to re-exposure 1023

CREMER, NATALIE, and WATSON, DENNIS W. Host-parasite factors in Group A streptococcal infections. A comparative study of streptococcal pyrogenic toxins and Gram-negative bacterial endotoxin 1037

MATSUSHITA, HIROSHI, FOX, MAURICE S., and GOEBEL, WALTHER F. Colicine K. IV. The effect of metabolites upon colicine synthesis 1055

SHELDON, WALTER H., and BAUER, HEINZ. Tissue mast cells and acute inflammation in experimental cutaneous mucormycosis of normal, 48/80-treated, and diabetic rats. Plates 87 to 91 1069

ROSS, ANN, and LEPOW, IRWIN H. Studies on immune cellular injury. I. Cytotoxic effects of antibody and complement 1085

LEPOW, IRWIN H., and ROSS, ANN. Studies on immune cellular injury. II. Functional role of C'1 esterase in immune cytotoxicity 1107

MELLY, MARIAN ANN, THOMISON, JOHN B., and ROGERS, DAVID E. Fate of staphylococci within human leucocytes. Plates 92 and 93 ... 1121

LEVINE, BERNARD B. Studies on the mechanism of the formation of the penicillin antigen. I. Delayed allergic cross-reactions among penicillin G and its degradation products. Plates 94 and 95 1131

WIZNITZER, T., BETTER, N., RACHLIN, W., ATKINS, N., FRANK, E. D., and FINE, J. *In vivo* detoxification of endotoxin by the reticuloendothelial system 1157

WIZNITZER, T., SCHWEINBURG, F. B., ATKINS, N., and FINE, J. On the relation of the size of the intraintestinal pool of endotoxin to the development of irreversibility in hemorrhagic shock 1167

POTTER, J. L., MCCLUSKEY, R. T., WEISSMANN, G., and THOMAS, L. The removal of cartilage matrix by papain. Factors affecting the distribution of crystalline papain *in vivo*. Plate 96 1173

FARAH, FUAD S., KERN, MILTON, and EISEN, HERMAN N. The preparation and some properties of purified antibody specific for the 2,4-dinitrophenyl group 1195

FARAH, FUAD S., KERN, MILTON, and EISEN, HERMAN N. Specific inhibition of wheal-and-erythema responses with univalent haptens and univalent antibody fragments 1211

DE WECK, ALAIN L., and EISEN, HERMAN N. Some immunochemical properties of penicillenic acid. An antigenic determinant derived from penicillin 1227

INDEX TO VOL. 112 1249